



# **CHILL**

***We Rent, Store, Sample & Move***



# "We Rent, Store, Sample & Move"

## Electronic Product Specification Brochures



[click here>>](#)

Cool Accessories



[click here>>](#)

Display Chiller Specification



[click here>>](#)

Freezer Specification



[click here>>](#)

Euroengel Mobile Cooler Box



[click here>>](#)

Small Cool Room Specification



[click here>>](#)

Large Cool Room Specification



[click here>>](#)

Refrigerated Van Rental



[click here>>](#)

Skid Room Pallet Specification





# Totally Chill out!

Chill's range of promotional accessories are second to none. Whether you are sampling your product in the heat of summer or just need to keep things nice and cold, Chill has you covered with industry leading equipment.



## Cooler Bags

The Cooler Bag allows safe storage of hot food, drinks or ice-cream and maintains a constant temperature. Strong yet lightweight, it uses the same highly effective insulating material that was developed for the Space Program.



### Features

- Worn comfortably over the shoulders
- Easy entry and re-load of product
- Handy velcro closure
- Display your product or brand in the A5 pocket

|        | External | Internal |
|--------|----------|----------|
| Width  | 490 mm   | 540 mm   |
| Height | 220 mm   | 280 mm   |
| Depth  | 380 mm   | 500 mm   |

|                        |                                                                       |
|------------------------|-----------------------------------------------------------------------|
| <b>Logo Pouch</b>      | A5 (150 x 240mm) with clear face                                      |
| <b>Main Access</b>     | Full circumference zip (1000mm) top entry                             |
| <b>Quick Access</b>    | Hinged top flap with velcro closure (250 x 220mm)                     |
| <b>Colour</b>          | White with black trim                                                 |
| <b>Outer Skin</b>      | PVC/nylon                                                             |
| <b>Inner Skin</b>      | Glass fabric with laminated aluminum sprayed polyester film (460g/m2) |
| <b>Lining Infill</b>   | Glass needle matt, 10mm thickness x 100 kg/m3 density                 |
| <b>Shoulder Straps</b> | Slide adjustable Nylon with crossover back design                     |

## Chilli Bin Eskies

From a backyard BBQ to onsite event catering the Chilli Bin Esky offers superior ice holding abilities ensuring the freshness and longevity of your food & beverages.

### Features

- Keeps ice for up to 5 days
- High grade UV resistant polyethylene mobile & lightweight
- Available in 40 or 150L models
- Unique quad latch system
- Mobile & light weight



| 40 Litre | Lid    | Base   |
|----------|--------|--------|
| Width    | 430 mm | 360 mm |
| Length   | 570 mm | 480 mm |
| Height   | 380 mm |        |

| 150 Litre | Lid    | Base   |
|-----------|--------|--------|
| Width     | 570 mm | 500 mm |
| Length    | 830 mm | 760 mm |
| Height    | 610 mm |        |

|                       |                                                               |
|-----------------------|---------------------------------------------------------------|
| <b>Capacity</b>       | 40 – 150 Litre capacities available                           |
| <b>Main Access</b>    | Hinged top lid                                                |
| <b>Closure</b>        | High quality fold lock                                        |
| <b>Seals</b>          | Air tight rubber seal                                         |
| <b>Materials</b>      | A-grade U.V stabilised Polyethylene                           |
| <b>Insulation</b>     | High pressure injected foam polyurethane in base and lid      |
| <b>Thermodynamics</b> | Unbelievable temperature retention - up to 5 day ice preserve |

## Opti Coolers

These Opticooler units for your next sampling or promotional event can be custom branded/wrapped with your logo. Used either as a static or portable beverage vending unit, the places you can take the Opticooler are vast.

The Opticooler unit also features a detachable lid - perfect for those hot outdoor events! With a well-insulated barrel the Opticooler keeps beverages icy cold.



|        |         |
|--------|---------|
| Width  | 530 mm  |
| Height | 875 mm  |
| Depth  | 1665 mm |

|                       |                                                                       |
|-----------------------|-----------------------------------------------------------------------|
| <b>Capacity</b>       | 84 cans or 60 x 600ml bottles (less with ice)                         |
| <b>Main Access</b>    | Removable hinged clear top lid                                        |
| <b>Materials</b>      | Molded pasitic barrel                                                 |
| <b>Mobility</b>       | Twin wheel rear axle - tilt and roll with waist height handle         |
| <b>Thermodynamics</b> | Excellent retention for all day use                                   |
| <b>Drainage</b>       | Manually controlled internal drainage system                          |
| <b>Branding</b>       | Total cylindrical surface can be wrapped in full colour graphic decal |
| <b>Accessories</b>    | Umbrella & click in display/tables additional                         |



# DISPLAY CHILLER SPECIFICATION

## Display Made Easy

### 80 Litre Counter Top Chiller

- Ideal for counter top/POS displays
- Lockable
- LED interior lights
- Curved door
- Lightbox with branding area

|        |        |               |               |
|--------|--------|---------------|---------------|
| Width  | 425 mm | Temp Range    | +1°C to +10°C |
| Depth  | 404 mm | Shelves       | 4 incl base   |
| Height | 980 mm | Branding Area | 425w x 180h   |
| Weight | 36 kg  | Power         | 164 watts     |



### 900 Litre Open Front Chiller

- Open front display with undershelf lighting
- Ideal for impulse or promotion
- Food safe display - grab'n'go style
- On casters
- Night blind

|        |         |               |              |
|--------|---------|---------------|--------------|
| Width  | 900 mm  | Temp Range    | +0°C to +3°C |
| Depth  | 575 mm  | Shelves       | 5 incl base  |
| Height | 1910 mm | Branding Area | 800w x 190h  |
| Weight | 90 kg   | Power         | 1365 watts   |



### 300 & 400 Litre Single Door Chiller

- Single door design
- 2 height options
- Lightbox with branding area
- Adjustable shelving
- Lockable

|        | 300L    | 400L    |               |                 |
|--------|---------|---------|---------------|-----------------|
| Width  | 620 mm  | 620 mm  | Temp Range    | +1°C to +10°C   |
| Depth  | 655 mm  | 655 mm  | Shelves       | 4 / 5 incl base |
| Height | 1820 mm | 2100 mm | Branding Area | 595w x 220h     |
| Weight | 88 kg   | 99 kg   | Power         | 5000 watts      |



### 1000 Litre Double Door Chiller

- Double door display
- Ideal for exhibitions & product displays
- Lockable
- On casters

|        |         |               |              |
|--------|---------|---------------|--------------|
| Width  | 1130 mm | Temp Range    | +1°C to +4°C |
| Depth  | 700 mm  | Shelves       | 6            |
| Height | 2195 mm | Branding Area | 1130w x 370h |
| Weight | 200 kg  | Power         | 12000 watts  |



All Units are single phase 240V power

# FREEZER SPECIFICATION

## Freeze with Ease

Chill has a freezer for every need, from film shoots to events or for seasonal use during peak periods when extra frozen storage space is required. Most models can also be branded with decals for promotional use.

### Large 8m<sup>3</sup> Trailer

- Single door walk in unit
- Large 8m<sup>3</sup> capacity
- Optional shelving for food storage
- Lockable

|        | Internal | External |            |                                  |
|--------|----------|----------|------------|----------------------------------|
| Width  | 1550 mm  | 2330 mm  | Temp Range | -10°C to -20°C                   |
| Depth  | 2150 mm  | 4250 mm  | Volume     | 8m <sup>3</sup>                  |
| Height | 1950 mm  | 2560 mm  | Power      | 10 amp - (single phase 240v) 10A |
| Weight | n/a      |          |            |                                  |



### 220 Litre Small

- Small portable size
- Lightweight lid for easy access
- Interior light
- Ideal for minimal frozen storage



|        |        |            |                                      |
|--------|--------|------------|--------------------------------------|
| Width  | 746 mm | Temp Range | -15°C to -18°C                       |
| Depth  | 662 mm | Volume     | 220 Litres                           |
| Height | 903 mm | Power      | 342 watts - (single phase 240v) 1.2A |
| Weight | 55 kg  |            |                                      |

### 212 Litre Medium Glass

- Ideal for ice cream / frozen food display
- Swivel casters
- Key Lock
- 3 baskets



|        |        |            |                                     |
|--------|--------|------------|-------------------------------------|
| Width  | 841 mm | Temp Range | -10°C to -24°C                      |
| Depth  | 691 mm | Volume     | 166 Litres net                      |
| Height | 825 mm | Power      | 90 watts - (single phase 240v) 0.7A |
| Weight | 70 kg  |            |                                     |

### 300 Litre Medium Stainless Steel

- Maximum storage capacity
- Hinged stainless steel lid
- Internal light
- Lockable casters
- Temperature display



|        |         |            |                                      |
|--------|---------|------------|--------------------------------------|
| Width  | 1012 mm | Temp Range | -15°C to -25°C                       |
| Depth  | 715 mm  | Volume     | 296 Litres net                       |
| Height | 903 mm  | Power      | 175 watts - (single phase 240v) 1.2A |
| Weight | 65 kg   |            |                                      |

### 700 Litre Large

- Maximum storage capacity
- Hinged stainless steel lid
- Internal light
- Lockable casters
- Temperature display



|        |         |            |                                      |
|--------|---------|------------|--------------------------------------|
| Width  | 2055 mm | Temp Range | -15°C to -25°C                       |
| Depth  | 715 mm  | Volume     | 675 Litres net                       |
| Height | 903 mm  | Power      | 425 watts - (single phase 240v) 2.9A |
| Weight | 107 kg  |            |                                      |

### 585 Litre Gelato Freezer

- 8 baskets for gelato tubs
- Glass sliding lids
- Perspex sneeze guard (Glass on request)



|            |                                      |
|------------|--------------------------------------|
| Width      | 1891 mm                              |
| Depth      | 671 mm                               |
| Height     | 825 mm (1200mm with canopy)          |
| Weight     | 95 kg                                |
| Temp Range | -10 to -24°C                         |
| Volume     | 490 Litres                           |
| Power      | 238 watts - (single phase 240v) 2.4A |

### 650 Litre Single Door Display

- Designed for merchandising and high visual product display
- 5 adjustable non tip selves
- Lockable
- Lightbox



|            |                                            |
|------------|--------------------------------------------|
| Width      | 740 mm                                     |
| Depth      | 700 mm                                     |
| Height     | 2195 mm                                    |
| Weight     | 199 kg                                     |
| Temp Range | -18°C to -21°C                             |
| Volume     | 520 Litres net                             |
| Power      | 695 watts - (single phase 240v) 1.2A) 6.5A |

### 1000 Litre Double Door Display

- Ideal for premium food display
- Optional lightbox
- Adjustable shelving
- Lockable



|            |                                             |
|------------|---------------------------------------------|
| Width      | 1130 mm                                     |
| Depth      | 700 mm                                      |
| Height     | 2195 mm                                     |
| Weight     | 283 kg                                      |
| Temp Range | -15°C to -21°C                              |
| Volume     | 980 Litres                                  |
| Power      | 765 watts - (single phase 240v) 1.2A) 11.2A |



# EUROENGEL MOBILE COOLER BOX

## A cool transport solution

Euroengel F0330/NDN professional mobile cooler box is engineered to perfection

This innovative refrigerated transport solution is ideal for professionals who have to move perishable goods on board standard cars or vans in accordance with food hygiene standards. State of the art in mobile refrigeration, versatile and heavy duty features makes it ideal for caterers, food stylists, & even camping trips. Their deployment in the military also testifies to the versatility and robustness of this refrigerated product.

### Features

- State of the art Italian design
- 330L capacity
- Powered by 12-24v (standard car socket) or into mains 100-240v when stationary
- Heavy duty, robust military grade engineering
- Digital temperature controller with readout
- Hygienic, food safe & easy to clean to standard HACCP/(93/43/EEC)
- Environmentally friendly CFC free R134a refrigerant gas



**Euroengel**  
Professional mobile refrigeration



### Euroengel Mobile Cooler Box




Legendary Mobility




Bullet Proof  
Durability\*

\*F0330/NDN model shown



Internal



External

### Euroengel Specification

|             |                         | Internal | External |
|-------------|-------------------------|----------|----------|
| A           | Width                   | 610 mm   | -        |
| B           | Depth                   | 660 mm   | -        |
| C           | Height                  | 810 mm   | -        |
| L           | Length                  | -        | 1000 mm  |
| W           | Width                   | -        | 910 mm   |
| H           | Height                  | -        | 1020 mm  |
| Weight      | 90 Kg                   |          |          |
| Volume      | 330 litre               |          |          |
| Power       | 12-24v DC & 100-240v AC |          |          |
| Thermostat  | Digital                 |          |          |
| Temperature | down to +0°C            |          |          |

|                       |                                                             |
|-----------------------|-------------------------------------------------------------|
| <b>Design</b>         | Italian made and engineered                                 |
| <b>Main Access</b>    | Hinged front door                                           |
| <b>Closure</b>        | Large molded plastic clips                                  |
| <b>Seals</b>          | Air tight rubber seal                                       |
| <b>Materials</b>      | High quality polyethylene                                   |
| <b>Insulation</b>     | Injected foam insulation                                    |
| <b>Thermodynamics</b> | Electronic temperature control via externally mounted panel |
| <b>Hygiene</b>        | Full HACCAP compliance                                      |



Convenient Digital Control

# MOBILE COOLROOM SPECIFICATION

## Small Chill Room

The Small Chill Room is the perfect party fridge for small functions, film shoots, market days and events with less than 30 people.

### Benefits

- Versatile & portable
- Any location Australia wide
- Delivered & picked up by our experienced staff - OH&S accredited
- Near new 'food safe' equipment - independently assessed
- Pressure cleaned & checked after each use


### Features

- 3 cubic M capacity (15-30 cases)
- 0-8 C° temperature range
- Single door reach in/step in unit
- Shelving for food storage
- Lockable



Small internal shelving

### Small Mobile Cool Room



### Mobile Cool Room Specification

|             |                                     | Internal | External |
|-------------|-------------------------------------|----------|----------|
| A           | Width                               | 1050 mm  | -        |
| B           | Depth                               | 1360 mm  | -        |
| C           | Height                              | 1350 mm  | -        |
| L           | Length                              | -        | 2980 mm  |
| W           | Width                               | -        | 1690 mm  |
| H           | Height                              | -        | 1970 mm  |
| Power       | 240v/Single Phase 10 Amp            |          |          |
| Temperature | 0°C to +8°C                         |          |          |
| Capacity    | 3 cubic metres - approx 15-30 cases |          |          |

All models are provided with 20m tagged and tested extension lead and exterior trailer lock. Entry door can be secured with a padlock (not supplied).





# MOBILE COOLROOM SPECIFICATION

## Large Chill Room

For Festival and Event cold storage you can't go past the large Chill room. For weddings, parties, florists, caterers, fetes and functions with 100+ guests.

### Benefits

- Versatile & portable
- Any location Australia wide
- Delivered & picked up by our experienced staff- OH&S accredited
- Near new 'food safe' equipment - independently assessed
- Pressure cleaned & checked after each use


### Features

- 8 cubic M capacity (80-200 cases)
- 0-8 C° temperature range
- Single door walk in model
- Optional shelving for food storage
- Internal light
- Lockable



Optional internal shelving

### Large Mobile Cool Room



### Mobile Cool Room Specification

|             |                                         | Internal | External |
|-------------|-----------------------------------------|----------|----------|
| A           | Width                                   | 1650 mm  | -        |
| B           | Depth                                   | 2250 mm  | -        |
| C           | Height                                  | 1950 mm  | -        |
| L           | Length                                  | -        | 4250 mm  |
| W           | Width                                   | -        | 2330 mm  |
| H           | Height                                  | -        | 2570 mm  |
| Power       | 240v/Single Phase 10 Amp                |          |          |
| Temperature | 0°C to +8°C<br>Freezer models available |          |          |
| Capacity    | 8 cubic metres - approx 80-200 cases    |          |          |

All models are provided with 20m tagged and tested extension lead and exterior trailer lock. Entry door can be secured with a padlock (not supplied).





## REFRIDGERATED VAN RENTAL

## Take the Transit Lane

The Chill Transit Van loves the city. Easy to drive & park for cold & frozen transportation & effortlessly becoming a mobile advertisement for promotional branding & product launches.

**Benefits**

- Food safe transport vehicles
- Near new rental fleet
- Short or long term rentals
- Best quality and most reliable cooling equipment on the market

**Features**

- Refrigerated with freeze temperature to -20
- Electric standby for overnight/onsite operation
- 2 pallet capacity



Optional artwork wrap for promotion




Ford Transit 2-Pallet



Rear pallet load

## The Chill Transit Van



## Chill Refrigerated Van Specifications

|                       |                 |                                        |                                                                                                                                                                                                                                                                                        |
|-----------------------|-----------------|----------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| A                     | Overall Length  | 5800 mm                                | <b>Inclusions</b> <ul style="list-style-type: none"> <li>• 100 km/day</li> <li>• 240v electric standby power on all units &amp; 15m extension lead</li> <li>• Fridge/freezer on all units</li> </ul>                                                                                   |
| B                     | Overall Width   | 2374 mm                                |                                                                                                                                                                                                                                                                                        |
| C                     | Overall Height  | 2387 mm                                |                                                                                                                                                                                                                                                                                        |
| D                     | Wheel Base      | 3800 mm                                |                                                                                                                                                                                                                                                                                        |
| E                     | Rear Door Width | 1625 mm                                |                                                                                                                                                                                                                                                                                        |
| F                     | Door Height     | 1800 mm                                |                                                                                                                                                                                                                                                                                        |
| G                     | Side Door Width | 1425 mm                                |                                                                                                                                                                                                                                                                                        |
| <b>Model</b>          |                 | Transit RWD van mid roof               | <b>Exclusions</b> <ul style="list-style-type: none"> <li>• Diesel fuel</li> <li>• Windscreen, overhead/underbody damage</li> <li>• Toll charges and infringements</li> </ul>                                                                                                           |
| <b>Capacity</b>       |                 | 2 pallets / 9.85 m <sup>3</sup> / 1.2T |                                                                                                                                                                                                                                                                                        |
| <b>Gross Mass</b>     |                 | 3.3 Tonne                              |                                                                                                                                                                                                                                                                                        |
| <b>Transmission</b>   |                 | 6 speed manual                         | <b>Optional Extras</b> <ul style="list-style-type: none"> <li>• Courier trolley</li> <li>• Artwork wrapping</li> <li>• Delivery &amp; pick up</li> <li>• GPS navigation</li> <li>• Blue tooth handsfree</li> <li>• Satellite tracking</li> <li>• Insurance excess reduction</li> </ul> |
| <b>Fuel</b>           |                 | Diesel - (capacity 80 litres)          |                                                                                                                                                                                                                                                                                        |
| <b>Standard Power</b> |                 | 240V single phase/15 AMP               |                                                                                                                                                                                                                                                                                        |
| <b>Temperature</b>    |                 | +10 to -20C                            |                                                                                                                                                                                                                                                                                        |

# SKID PALLET ROOM SPECIFICATIONS

## Contemporary Containers

Chill Skid Rooms combine unique form with smart function, a dynamic alternative to bulky energy draining containers.

Ideal for festivals, hotels/clubs, wineries construction/mining sites & event catering.

### Benefits

- Full pallet fork load
- Unique 2 pallet wide storage
- Energy efficient & 'Green' design
- Low rise access - minimal OH&S risk
- Food safe & pressure cleaned
- Onsite portability with standard forklift
- Short or long term rentals

### Features

- 2 Versatile sizes
- Single or double door models
- Optional shelving for catering
- Internal light
- Lockable



2 pallet wide storage



Fork lift mobility




Internal shelving




Mobile delivery

### 4 Pallet Skid

Single door model available



### 6 Pallet Skid



### Skid Room Specifications

|                      | 4 Pallet        | 6 Pallet |
|----------------------|-----------------|----------|
| A                    | Width Internal  | 2380     |
| B                    | Depth Internal  | 2430     |
| C                    | Height Internal | 1920     |
| D                    | Width External  | 2540     |
| E                    | Depth External  | 2708     |
| F                    | Height External | 3900     |
| G                    | Width Door      | 1260     |
| H                    | Height Door     | 1980     |
| I                    | Span Forks      | 450      |
| J                    | Width Forks     | 200      |
| K                    | Height Forks    | 70       |
| Power                | 10 amp          | 15 amp   |
| Temperature Range    | 0-8C            | 0-8C     |
| Internal Light       | ✓               | ✓        |
| Lockable             | ✓               | ✓        |
| Digital Temp Display | ✓               | ✓        |
| Tilt Tray Delivery   | ✓               | ✓        |
| Capacity             | 12.5 cM         | 18.5 cM  |
| Gross Weight         | 900Kg           | 1000Kg   |





# **CHILL**

***We Rent, Store, Sample & Move***

